SOLUTIONS FOR YOUR GOODLIFE!

Anti slip waterproof floor teak wood bath mat IWS53364

Features:

- 1. Provide safety assurance while taking a shower.
- 2. Provide adequate balance by using many stripe.
- 3.Catch the ground with six supporting point.
- 4. Supply waterproof for long time.
- 5.The Anticorrosive Warrior.

Product Features

$0.045m^3/set$

15.3kgs/17kgs (10sets)

Product's name	Anti slip waterproof floor teak IWS53364	wood bath mat	brand	GoodLife
Item number.	IWS53364			
colors	Grey, Bamboo color, brown, black			
Function	Bathing furniture.non-slip			
Material: Teak wood				
Material function	Waterproof, Anticorrosive			
Product Size:L40*W40*H3.2cm (L15.74*W12.59*H0.27inch)				
Package size	51*13*6cm (INCH: 20*5.1*2.36)1 carton/set 52*27*33cm(INCH:20.4*10.6*13)10 sets/carton			
Package: polyfoam and strong master carton.				
Carton CBM: 0.042m³/set				
20GP	4038sets	N.W. /G.W.		
40HQ	9804sets	MOQ	1000PCS	

Design And Color








Workmanship And Package

Woodwork Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Assembly of sub-pieces of semi-finished product of semi-finished product of sub-pieces. Bright Assembly of finished product of sub-pieces of semi-finished product of sub-pieces of sub-pieces of semi-finished product of sub-pieces of sub-pieces of semi-finished product of sub-pieces of su



Material



Certificates











Our team



Our Business services:

- 1. Your inquiry related to our products or prices will be replied in 12 hours in working date.
- 2. Experience sales answer your question and give you related business service.
- 3. OEM & amp; amp; ODM are welcome, we have over 10 years experience working with OEM project.
- 4. We are looking for exclusive sales of ODM Cabinet wooden mirror jewelry.
- 5. Sales The exclusive right agent sales have been protection.

Package information:

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safety package during transportation.
- 3. assembled kit and user manual are available for each office.

production lead time

- 1. $25 \sim 50$ days after deposit received.
- 2. Normal in the production lead time production line is 15 days after deposit received.









