SOLUTIONS FOR YOUR GOODLIFE!

- 6 layers cabinets with press magnet closure.
- Full length mirror for dressing.
- Knock down package with poly foam protected and strong carton.
- Easy assembling with printed photo instruction manual.

Product Features

roduction Name Wooden mirrored wooden shoe storage cabinet Bra					Brand	Goodlife
Item No.	GLS18812B					
Product size	H121* W63*D34cm (Inch: H47.64*W24.8*D13.38)					
Colors	White, black, brown, wooden color etc.					
Function	floor standing, shoe storage and organizer					
Material	EU-standard Eco-friendly MDF with melamine					
Details	 6-layer cabinets press magnet closure 4 pcs metal feet 					
Package size	133*40.5*21 cm (Inch: H27.2* L16.3*W6.89)					
Packing	KD packing; 1 piece per 1 carton; Poly foam protecting; strong carton.					
Carton CBM	133*40.5*21cm = 0.113 m ³			N.W./G.W.		35 / 36.5 kg
20GP	280 pcs	40HQ	680 g	ocs	MOQ	100 pcs

Design And Color










GLS18812WT



Workmanship And Package

Woodwork Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Assembly of Finished product MANUAL ASSEMBLY OF SUB-PARTS AND HARDWARE ACCESSORIES.



Material



Certificates











Our team



Our Business services:

- 1. Your inquiry related to our products or prices will be replied in 12hours in working date.
- 2. Experience sales answer your inquiry and give you related business service.
- 3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
- 4. We are looking for the sales exclusive of our ODM wooden mirrored jewelry cabinet.
- 5. Sales exclusive agent sales right have been protect.

Package information:

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safe package during transportation.
- 3. Assembled kit and User Manual are available for each cabinet.

Production lead time

- 1. 25~50 days after received deposit.
- 2. Normal on production line production lead time is 15days after received deposit.









