# **SOLUTIONS FOR YOUR GOODLIFE!**

# Fangle Teak wooden mat to protect bathing IWS53366

### Features:

- 1. Provide safety assurance while taking a shower.
- 2. Provide adequate balance by using many stripe.
- 3. Catch the ground with supporting point.
- 4. Supply waterproof for long time.
- 5.The Anticorrosive Warrior.

# Product Features

Product's name	Fangle Teak woo IWS53366	oden mat to protec	t bathing	brand	GoodLife
Item number.	IWS53366				
colors	Walnut				
Function	Bathing furniture.non-slip				
Material	SOLID TEAK WOOD				
Material function	Waterproof, Anticorrosive				
<b>Product Size</b>	53*35*2.5cm				
Package size	61*38.5*6 cm				
Package	Mail Order package for reship				
<b>Carton CBM</b>	$0.004$ m $^3$ / set				
20GP	1500sets	N.W. /G.W.			
40HQ	3540sets	MOQ	200 PCS		

# Design And Color










Workmanship And Package

# Woodwork Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Assembly of sub-pieces of semi-finished product of semi-finished product of sub-pieces. Bright Assembly of finished product of sub-pieces of semi-finished product of sub-pieces of sub-pieces of semi-finished product of sub-pieces of sub-pieces of sub-pieces of sub-pieces of sub-pieces of semi-finished product of sub-pieces of sub-pie



# Material



# Certificates











Our team



### **Our Business services:**

- 1. Your inquiry related to our products or prices will be replied in 12 hours in working date.
- 2. Experience sales answer your question and give you related business service.
- 3. OEM & amp; amp; ODM are welcome, we have over 10 years experience working with OEM project.
- 4. We are looking for exclusive sales of ODM Cabinet wooden mirror jewelry.
- 5. Sales The exclusive right agent sales have been protection.

## **Package information:**

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safety package during transportation.
- 3. assembled kit and user manual are available for each office.

### production lead time

- 1.  $25 \sim 50$  days after deposit received.
- 2. Normal in the production lead time production line is 15 days after deposit received.









