# **SOLUTIONS FOR YOUR GOODLIFE!**

Save space corner wooden almirah designs corner shelf GLK19008

- High quality MDF E1 with eco-friendly NC paint
- 4 layers racks with different size for displaying books and other accessories.
- KD package with polyfoam and strong master carton.
- Printed assembly instruction manual included.

#### **Product Features**

Production Name	Save space of wooden almi corner shelf	rah designs	Brand	Goodlife	
Item No.	GLK19008				
Product size	H150*L116*D33cm (Inch : H59.06''*W45.67''*D12.99'' )				
Colors	White, black, brown				
Function	Corner wooden shelf For books, decorations, flowerpots, photo frames etc.				
Material	EU-standard MDF ;Eco-friendly painting				
Organizer details	4 layers rack for displaying books and other accessories				
Package size	160*37.5*9.5cm (Inch:62.99''*14.76''*3.74'')				
Package	KD package;1 cartons/set.packed with polyfoam and strong master carton				
Carton CBM	0.057CBM			N.W./G.W.	17.5kg/20.5kgs
20GP	491 pcs	40HQ	1017pcs	MOQ	200 pcs

#### **Design And Color**



## coobyyu@szgoodlife.com GLK19008WH www.szgoodlife.en.alibaba.com




# coobyyu@szgoodlife.com GLK19008WH www.szgoodlife.en.alibaba.com



## coobyyu@szgoodlife.com GLK19008WH www.szgoodlife.en.alibaba.com



Workmanship And Package



## Material



## Certificates



## Our team



#### **Our Business services:**

1. Your inquiry related to our products or prices will be replied in 12hours in working date.

2. Experience sales answer your inquiry and give you related business service.

3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.

4. We are looking for the sales exclusive of our ODM wooden mirrored jewelry cabinet.

5. Sales exclusive agent sales right have been protect.

### Package information:

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safe package during transportation.
- 3. Assembled kit and User Manual are available for each cabinet.

### **Production lead time**

1. 25~50 days after received deposit.

2. Normal on production line production lead time is 15days after received deposit.









