SOLUTIONS FOR YOUR GOODLIFE!

high quality Heat insulation coffee pad IWS53215

Features:

- Heat insulation
- Water-poor for longtime
- Each small wooden block is smooth and burr-free;
- Sticky firm 714BOX/192780PCS

uct's name	high quality Heat insulation coffee page	d IWS53215	brand	GoodLife
Item number.	IWS53215			
colors	Raw wood color			
Function	Heat insulation			
Material				
Material function	Waterproof, Anticorrosive			
Product Size				
Package size	34.5*34.5*29 cm			
Package	Mail Order package for reship			
Carton CBM	0.035m³ / set			
20GP		N.W. /G.W.	0.05KG	
40HQ	524340 pieces	MOQ	1000 P	CS

Design And Color










Workmanship And Package

Woodwork Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Assembly of sub-pieces of semi-finished product of semi-finished product of sub-pieces. Bright Assembly of finished product of sub-pieces of semi-finished product of sub-pieces of sub-pieces of semi-finished product of sub-pieces of sub-p



Material



Certificates











Our team



Our Business services:

- 1. Your inquiry related to our products or prices will be replied in 12 hours in working date.
- 2. Experience sales answer your question and give you related business service.
- 3. OEM & amp; amp; ODM are welcome, we have over 10 years experience working with OEM project.
- 4. We are looking for exclusive sales of ODM Cabinet wooden mirror jewelry.
- 5. Sales The exclusive right agent sales have been protection.

Package information:

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safety package during transportation.
- 3. assembled kit and user manual are available for each office.

production lead time

- 1. $25 \sim 50$ days after deposit received.
- 2. Normal in the production lead time production line is 15 days after deposit received.









