# ×

## Features:<?xml:namespace prefix = o />

- 1. wooden shoe cabinet in foshan wholesale 5 layer shoe rack with mirror door
- 2. It can storage 32 pairs lady shoes at least, with 5 shoe rack.
- 3. 3+2 shoe racks combination, 3 drawers with double layer, 2 drawers with single layer.
- 4. Full length mirror elegant design and good looking.
- 5. Inside and outside high quality melamine MDF wood.
- 6. KD package save freight and avoid damage of the mirror.
- 7. Easy assemble with clear color manu instruction.



#### ×

wooden shoe cabinet in foshan wholesale 5 Brand **Product** Goodlife Name layer shoe rack with mirror door Item No. GLS17021 Product size H171.5\*L63\*W24 cm (inch: H67.5\*W24.8\*D9.45) Color White, black, brown Living room furniture, wall metel parts Function Material EU-standard 12mm and 15mm MDF ;Eco-friendly melamine Five shoe racks,2 drawers with single layer and 3 drawers with double layer, dressing Details mirror Panel carton:L124\*W27\*H20.5 cm (inch: 48.8\*10.63\*8.07) **Package size** Mirror carton:L69\*W41.5\*H19.5 cm (inch: 27.2\*16.3\*7.5) Assembled package ,polybag ,foam poly foam; Package Strong master carton;1 piece packed in 2 cartons; drop test passed Carton CBM 0.125m<sup>3</sup> N.W./G.W. 40kgs/43.5kg 20**G**P **40HO** 100 piece 224pcs 544pcs **MOO** 







# **Our Business services:**

- **1**. Your inquiry related to our products or prices will be replied in 12 hours in working date.
- 2. Experience sales answer your inquiry and give you related business service.
- 3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
- 4. We are looking for the sales exclusive of our ODM wooden mirror jewelry cabinet.
- 5. Sales exclusive agent sales right have been protect.

#### **Package information:**

- **1.** Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safe package during transportation.
- 3. Assembled kit and User Manual are available for each cabinet.

# **Production lead time**

- 1. 25~50 days after received deposit.
- 2. Normal on production line production lead time is 15 days after received deposit.

× × ×××