

SOLUTIONS FOR YOUR GOODLIFE!

- Multiple functions for convenient daily life.
- Easily movable with wheels.
- Easily open and fold with foldaway bracket.
- KD packing for saving transportation space and freight.
- Easy assembling with printed instruction manual.

Design And Color



GLT13010IY



GLT13010IY



Product Features

| | | | |
|--------------------------|---|--------------|----------|
| Production Name | Adjustable height dining table coffee table for living room and hotel | Brand | Goodlife |
| Item No. | GLT13010 | | |
| Product size | folded : W80*D80*H45cm (Inch : W31.5*D31.5*H17.7) unfolded : W160*D80*H75cm (Inch: W63*D31.5*H30) | | |
| Colors | White, black, brown, customized color is available | | |
| Function | Floor standing, used for end table, dining table, coffee table, study table | | |
| Material | EU-standard MDF ;Eco-friendly painting | | |
| Structure details | 3 folded panels | | |
| Package size | carton 1: 88*88*14cm (Inch:34.65*34.65*5.5) carton 2: 71*37*20cm (Inch:27.95*14.57*7.87) | | |

| | | | | | |
|-------------------|---|-------------|--------|------------------|-------------|
| Package | Knock down package, poly bag ,foam poly foam; Strong master carton; 1pc per 2 cartons; drop test passed. | | | | |
| Carton CBM | 0.16m ³ | | | N.W./G.W. | 49kgs/51kgs |
| 20GP | 175cs | 40HQ | 425pcs | MOQ | 150 pieces |

Workmanship And Package






Wood Cutting



Drill Holes




Open Slot



sealing with PVC

Material



E1 MDF

VS




Particle board

Certificates



Our team





Our Business services:

1. Your inquiry related to our products or prices will be replied in 12hours in working date.
2. Experience sales answer your inquiry and give you related business service.
3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
4. We are looking for the sales exclusive of our ODM wooden mirrored jewelry cabinet.
5. Sales exclusive agent sales right have been protect.

Package information:

1. Forming polyfoam for the post package
2. 6-side strong polyfoam are used for safe package during transportation.
3. Assembled kit and User Manual are available for each cabinet.

Production lead time

1. 25~50 days after received deposit.
2. Normal on production line production lead time is 15days after received deposit.

Hot Selling



GLD17047



GLD13315



GLD14740



GLD15315



GLD15347



GLD08012



GLD08055



GLD08057



GLD08067





GLS11325WH



GLS18703BR



GLS18812TK



GLS18715WH