# **SOLUTIONS FOR YOUR GOODLIFE!**

# Classic Design joint panel rubber wood coaster, coffee pad, Wood color IWS 53216

### Features:


- Heat insulation
- Water-poor for longtime
- Each small wooden block is smooth and burr-free;
- Sticky firm714BOX/192780PCS

uct's name	Classic Design joint panel rubber wood coaster, coffe pad,Wood color IWS53216		e brand	GoodLife
Item number.	IWS53216			
colors	Raw wood color			
Function	Heat insulation			
Material				
Material function	Waterproof, Anticorrosive			
<b>Product Size</b>				
Package size	34.5*34.5*29 cm			
Package	Mail Order package for reship			
Carton CBM	0.035m³ / set			
20GP		N.W. /G.W.	0.05KG	
40HQ	524340 pieces	MOQ	1000 PC	CS

Design And Color












IWS53216

Workmanship And Package

# Woodwork Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Assembly of sub-pieces of semi-finished product of semi-finished product of sub-pieces. Bright Assembly of finished product of sub-pieces of semi-finished product of sub-pieces of sub-pieces of semi-finished product of sub-pieces of sub-pieces of semi-finished product of sub-pieces of su



# Material



# Certificates











Our team



### **Our Business services:**

- 1. Your inquiry related to our products or prices will be replied in 12 hours in working date.
- 2. Experience sales answer your question and give you related business service.
- 3. OEM & amp; amp; ODM are welcome, we have over 10 years experience working with OEM project.
- 4. We are looking for exclusive sales of ODM Cabinet wooden mirror jewelry.
- 5. Sales The exclusive right agent sales have been protection.

## **Package information:**

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safety package during transportation.
- 3. assembled kit and user manual are available for each office.

### production lead time

- 1.  $25 \sim 50$  days after deposit received.
- 2. Normal in the production lead time production line is 15 days after deposit received.









