

# Environmental protection coating mirror children cartoon mirror

## Product Features

- 1) Lens: 4mm environmental protection mirror, mirror surface explosion-proof treatment.
- 2) Frame: no border
- 3) Configuration: weather data, perpetual calendar, LED anti-fog light, energy-saving LED light, Bluetooth audio
- 4) Input voltage: 110-220V
- 5) Mirror size: 60\*60\*5
- 6) Packing: K=A5 layer neutral carton + foam + corner
- 7) MOQ 60PCS

Production Name	Children wall led mirror with bluetooth speaker	Brand	Goodlife
Item No.	GLM05050		
Product Size:	77*77*10		
Colors	White		
Function	For dressing,		
Material	1) Lens: 4mm environmental protection mirror, mirror surface explosion-proof treatment. 2) Frame: no border 3) LED anti-fog light, energy-saving LED light, Bluetooth audio		

### Organizer details

	1) Configuration: weather data, perpetual calendar, LED anti-fog light, energy-saving LED light, Bluetooth audio 2) Input voltage: 110-220V 3) Mirror size: 60*60*5 4) MDF backplane		
Package size	84*84*10		
Package	1SET/3-Layer Brown Box 3SET/CTNPoly ,K=A5 layer neutral carton + foam + corner protector		
Carton CBM	0.071m <sup>3</sup>	NW. /GW.	15kgs / 23.8kgs
20GP	394PCS	40HQ	957PCS
			MOQ/FOB P 60 sets/\$46 RICE

## Design And Color








GLM05050

Workmanship And Package



## Material



VS



Particle board

## Certificates



## Our team



### **Our Business services:**

1. Your inquiry related to our products or prices will be replied in 12hours in working date.
2. Experience sales answer your inquiry and give you related business service.
3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
4. We are looking for the sales exclusive of our ODM wooden mirrored jewelry cabinet.
5. Sales exclusive agent sales right have been protect.

### **Package information:**

1. Forming polyfoam for the post package
2. 6-side strong polyfoam are used for safe package during transportation.
3. Assembled kit and User Manual are available for each cabinet.

**Production lead time**

1. 25~50 days after received deposit.
2. Normal on production line production lead time is 15days after received deposit.