

SOLUTIONS FOR YOUR GOODLIFE!

- Full length dressing mirror on the door.
- Four layers storage shelves.
- Folding ironing board.
- Wall mounted, fixed on the wall with screws.
- Safe packing, strong poly foam and strong carton.

Design And Color



GLI08039



GLI08039



Product Features

Production Name

Wall mounted folding wood
Ironing board cabinet with
mirror

Brand

Goodlife

Item No.

GLI08039

Product size

W35.5*D17.5*H95cm (inch: W14.0*D6.9*H37.4)

Color

White, black, brown,

Function	Wall mount; folding iron board Stuff storage.				
Material	EU-standard MDF ;Eco-friendly painting				
Details	Outside mirror on the door, cabinet for storage, wall mounted				
Package size	107.69*44.0*25.64 cm				
Package	Assemble package ,polybag ,foam poly foam; Strong master carton;1 piece per 1 carton; drop test passed				
Carton CBM	0.121m ³			N.W./G.W.	12.1kgs/14.75kg
20GP	231pcs	40HQ	561pcs	MOQ	500piece

Workmanship And Package

<p>Woodwork Accessories processing</p> 	<p>Constuction Assembly of sub-pieces of semi-finished products.</p> 	<p>Hand sanded 3 times Sanding Polishing.</p> 	<p>Painting Automatic spray painting & Artificial spray painting.</p> 
<p>Drop Test Drop test at International Standard.</p> 	<p>Package Forming polyfoam , postage package.KD package.</p> 	<p>Assembly of finished product MANUAL ASSEMBLY OF SUB-PARTS AND HARDWARE ACCESSORIES.</p> 	

Material



Our team



Our Business services:

1. Your inquiry related to our products or prices will be replied in 12hours in working date.
2. Experience sales answer your inquiry and give you related business service.
3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.

4. We are looking for the sales exclusive of our ODM [wooden mirror jewelry cabinet](#).

5. Sales exclusive agent sales right have been protect.

Package information:

1. Forming polyfoam for the post package
2. 6-side strong polyfoam are used for safe package during transportation.
3. Assembled kit and User Manual are available for each cabinet.

Production lead time

1. 25~50 days after received deposit.
2. Normal on production line production lead time is 15days after received deposit.

Hot Selling





GLD08012



GLD08055



GLD08057



GLD08067



GLD14737WH



GLD12210BR



GLD12212BK



GLD13319BR



GLD15330WH

 <p>100% HOT SALE</p> <p>GLD13323WH</p>	 <p>100% HOT SALE</p> <p>GLD13334WH</p>	 <p>100% HOT SALE</p> <p>GLD13328WH</p>	 <p>100% HOT SALE</p> <p>GLD08056WH</p>	 <p>100% HOT SALE</p> <p>GLD13310WH</p>
--	--	--	---	--

 <p>100% HOT SALE</p> <p>GLS11325WH</p>	 <p>100% HOT SALE</p> <p>GLS18703BR</p>	 <p>100% HOT SALE</p> <p>GLS18812TK</p>	 <p>100% HOT SALE</p> <p>GLS18715WH</p>
---	---	--	---