SOLUTIONS FOR YOUR GOODLIFE!

- 1. 5-storey reinforced pit box
- 2. Human rights Mold forming foam;
- 3. Human rights Accessories into PE bag;
- 4. Human rights English instruction manual;
- 5. Human rights A matching kit
- Specifications:

Product Features

Production Name	table in s stand wit	olid wood h oval .T18580An or and a ol	Brand	Goodlife	
Item No.	GLT18580				
Product size	70*40*75.5cm (Inch :27.56*15.75*29.72")				
Colors	White, black, brown, gray				
Function	Wall mount and over the door				
Material	MDF dressing table with				
Product Use	Floor mirror, jewelry storage, small space, flexible use				
Package size	70*40*75cm [inch]30.71*19.69*10.24"				
Package	KD package; 1 piece per 1 PE bag; 1 piece per 1 carton; Poly foam protecting; strong master carton				
Carton CBM	$0.097 m^3$			N.W./G.W.	10kgs/12kg
20GP	298pcs	40HQ	711pcs	MOQ	100 pcs











Workmanship And Package

Woodwork Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Assembly of sub-pieces of semi-finished product of semi-finished product of sub-pieces. Bright Assembly of finished product of sub-pieces of semi-finished product of sub-pieces of sub-pieces of semi-finished product of sub-pieces of sub-pieces of semi-finished product of sub-pieces of su



Material



Certificates











Our team



Our Business services:

- 1. Your inquiry related to our products or prices will be replied in 12hours in working date.
- 2. Experience sales answer your inquiry and give you related business service.
- 3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
- 4. We are looking for the sales exclusive of our ODM <u>wooden mirror jewelry</u> cabinet.
- 5. Sales exclusive agent sales right have been protect.

Package information:

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safe package during transportation.
- 3. Assembled kit and User Manual are available for each cabinet.

Production lead time

- 1. 25~50 days after received deposit.
- 2. Normal on production line production lead time is 15days after received deposit.









