SOLUTIONS FOR YOUR GOODLIFE!

- For books, decorations, flowerpots, photo frames etc.
- 5 layers storage rack.
- KD packing with assembling user manual.
- Safe package with poly foam and strong carton protected.

Product Features

Production Name	Wooden Stor	rage rack	Brand	Goodlife	
Item No.	GLK19002				
Product size	W62*D28*H160 CM (Inch: W24.8*D11.0*H63.0)				
Colors	White, black, brown, cherry, pink, blue and more				
Function	Floor standing; For books, decorations, flowerpots, photo frames etc.				
Material	EU-standard MDF with melamine				
Organizer details	5 layers shelves				
Package size	128*33*9.5 cm (Inch: 50.39*12.99*3.74)				
Package	KD packing; 1 piece per 1 carton; Poly foam protecting; Strong master carton.				
Carton CBM	$0.04 m^3$			N.W./G.W.	28kgs/30kgs
20GP	700pcs	40HQ	1700pcs	MOQ	100 pcs

Design And Color









Workmanship And Package

Woodwork

Accessories processino

Constuction

Assembly of sub-pieces of semi-finished products.

Hand sanded 3 times Sanding Polishing.

Painting

Automatic spray painting& Artificial spray painting





Drop Test

Drop test at International Standard.

Package

Forming polyfoam , postage package. KD package.

Assembly of finished product

MANUAL ASSEMBLY OF SUB-PARTS AND HARDWARE ACCESSORIES.

















Material



Certificates











Our team



















Our Business services:

- 1. Your inquiry related to our products or prices will be replied in 12hours in working date.
- 2. Experience sales answer your inquiry and give you related business service.
- 3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.

- 4. We are looking for the sales exclusive of our ODM wooden mirrored jewelry cabinet.
- 5. Sales exclusive agent sales right have been protect.

Package information:

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safe package during transportation.
- 3. Assembled kit and User Manual are available for each cabinet.

Production lead time

- 1. 25~50 days after received deposit.
- 2. Normal on production line production lead time is 15days after received deposit.









