Oval Shape Lighting mirror with LED bathroom makeup mirror

Product Features

1) Lens: 4mm environmental protection mirror, mirror surface explosion-proof treatment.
2) Frame: no border
3) Configuration: weather data, perpetual calendar, LED anti-fog light, energy-saving LED light, Bluetooth audio
4) Input voltage: 110-220V
5) Mirror size: 60*60*5
6) Packing: K=A5 layer neutral carton + foam + corner
7) MOQ 60PCS

Production Name	Children wall led mirror with bluetooth speaker		Brand	Goodlife
Item No.	GLM18010			
Product Size:	64*37*3CM			
Colors	White			
Function	For dressing,			
Material	1) Lens: 5mm environmental protection mirror, mirror surface explosion-proof treatment. 2) Frame: no border 3) wall mount mirror adjusted for your height.			

Organizer details

5mm thick mirror
LED light strip
With Touch switch

Package size	75.50*49.00*33.00cm			
Package	1SET/3-Layer Brown Box 3SET/CTNPoly ,K=A5 layer neutral carton + foam + corner protector			
Carton CBM	0.035m³		NW. /GW.	15kgs / 23.8kgs
20GP	552PCS	40HQ	1476PCS	MOQ/FOB PRICE 100 sets/$38

Design And Color

GLM18010

GLM18010

GLM18010

GLM18010

Woodwork	Constuction	Hand sanded 3 times	Painting
Accessories processing	Assembly of sub-pieces of semi-finished products.	Sanding Polishing.	Automatic spray painting& Artificial spray painting.

Drop Test	Package	Assembly of finished product
Drop test at International Standard.	Forming polyfoam , postage package.KD package.	MANUAL ASSEMBLY OF SUB-PARTS AND HARDWARE ACCESSORIES.

Wood Cutting

Drill Holes

Open Slot

sealing with PVC

E1 MDF VS Particle board

Our Business services:

1. Your inquiry related to our products or prices will be replied in 12hours in working date.
2. Experience sales answer your inquiry and give you related business service.
3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
4. We are looking for the sales exclusive of our ODM wooden mirrored jewelry cabinet.
5. Sales exclusive agent sales right have been protect.

Package information:

1. Forming polyfoam for the post package
2. 6-side strong polyfoam are used for safe package during transportation.
3. Assembled kit and User Manual are available for each cabinet.

Production lead time

1. 25~50 days after received deposit.
2. Normal on production line production lead time is 15days after received deposit.