Oval Wall Mounted Led Lighted Mirror For Bathroom Lamp Wall Mounted Mirror With Touch Switch

# **Product Features**

1) Lens: 4mm environmental protection mirror, mirror surface explosion-proof treatment.

2) Frame: no border

3) Configuration: weather data, perpetual calendar, LED anti-fog light, energy-saving LED light, Bluetooth audio

4) Input voltage: 110-220V5) Mirror size: 60\*60\*5

6) Packing: K=A5 layer neutral carton + foam + corner

7) MOQ 60PCS

Production Name Children wall led Brand Goodlife mirror with bluetooth speaker

Item No. GLM18010

Product Size: 64\*37\*3CM

Colors White

Function For dressing,

Material 1) Lens: 5mm environmental protection mirror, mirror surface explosion-proof treatment.

2) Frame: no border

3) wall mount mirror adjusted for your height.

### Organizer details

5mm thick mirror LED light strip With Touch switch

Package size 75.50\*49.00\*33.00cm

Package 1SET/3-Layer Brown Box

3SET/CTNPoly ,K=A5 layer neutral carton + foam + corner protector

Carton CBM  $0.035 m^3$  NW. /GW. 15 kgs / 23.8 kgs

20GP 552PCS 40HQ 1476PCS MOQ/FOB P 100 sets/\$38

RICE

# Design And Color










Workmanship And Package

# Woodwork Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Assembly of Finished product MANUAL ASSEMBLY OF SUB-PARTS AND HARDWARE ACCESSORIES.



# Material



# Certificates











Our team



















### **Our Business services:**

- 1. Your inquiry related to our products or prices will be replied in 12hours in working date.
- 2. Experience sales answer your inquiry and give you related business service.
- 3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
- 4. We are looking for the sales exclusive of our ODM wooden mirrored jewelry cabinet.
- 5. Sales exclusive agent sales right have been protect.

## **Package information:**

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safe package during transportation.
- 3. Assembled kit and User Manual are available for each cabinet.

# **Production lead time**

- 1. 25~50 days after received deposit.
- 2. Normal on production line production lead time is 15days after received deposit.