Science environmental protection mirror connecting bluetooth speaker

Product Features

1) Lens: 4mm environmental protection mirror, mirror surface explosion-proof treatment.

2) Frame: no border

3) Configuration: weather data, perpetual calendar, LED anti-fog light, energy-saving LED light, Bluetooth audio

4) Input voltage: 110-220V

5) Mirror size: width 600* height 800mm

6) Packing: K=A5 layer neutral carton + foam + corner


7) MOQ 60PCS

8) Packing specification: each piece of independent packaging: 700*900*100mm


3 large boxes: 700*900*300mm1)


Production Name	Dressing mirror table c Speaker	onnecting Bluetoo	th with Brand	Goodlife
Item No.	GLD10012			
Product Size:	W60*D5*H80CM			
Colors	White			
Function	For dressing,			
Material	 Lens: 4mm environmental protection mirror, mirror surface explosion-proof treatment. Frame: no border LED anti-fog light, energy-saving LED light, Bluetooth audio 			
Organizer details	 Lens: 4mm environmental protection mirror, mirror surface explosion-proof treatment. Frame: no border Configuration: weather data, perpetual calendar, LED anti-fog light, energy-saving LED light, Bluetooth audio Input voltage: 110-220V Mirror size: width 600* height 800mm Packing: K=A5 layer neutral carton + foam + corner MOQ 60PCS Packing specification: each piece of independent packaging: 700*900*100mm large boxes: 700*900*300mm 			
Package size	91.50*71.50*33.00 CM			
Package	1SET/3-Layer Brown Box 3SET/CTNPoly ,K=A5 layer neutral carton + foam + corner protector			
Carton CBM	0.216m ³		NW. /GW.	0kgs / 0kgs
20GP	114BOX/342PCS	40HQ	254BOX/762 MO PCS	Q 60 sets
		Design	And Color	











Material



Certificates



Our team



Our Business services:

- 1. Your inquiry related to our products or prices will be replied in 12hours in working date.
- 2. Experience sales answer your inquiry and give you related business service.
- 3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
- 4. We are looking for the sales exclusive of our ODM wooden mirrored jewelry cabinet.
- 5. Sales exclusive agent sales right have been protect.

Package information:

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safe package during transportation.
- 3. Assembled kit and User Manual are available for each cabinet.

Production lead time

- 1. 25~50 days after received deposit.
- 2. Normal on production line production lead time is 15days after received deposit.