SOLUTIONS FOR YOUR GOODLIFE!

- 5 layers cabinets for shoe organizing and storage.
- Rotary single shoe rack.
- Full length mirror for dressing.
- Knock down package with strong poly foam and carton.
- Easy assembling with printed photo instruction manual.

Product Features

Simple & Chic 5 layers organizer shoe rack with mirror white GLS16017

Production Name

Production Nai	ne					
				Brand	Goodlife	
Item No.	GLS16017					
Product size	H170*W63*D20 CM (Inch: H66.9*W24.8*D7.9)					
Colors	White, black, brown, wooden color and more					
Function	floor standing, shoe storage and organizer					
Material	EU-standard MDF wood					
Package size	Carton A:69*41.5*19.5 cm (Inch:27.17*16.34*7.68) Carton B:174*22*13.5 cm (Inch:68.5*8.66*5.31)					
Package	KD packing, 1 piece per 2 cartons, Poly foam protecting, Strong master carton.					
Carton CBM	$A:69*41.5*19.5 = 0.056m^3$ $B:174*22*13.5 = 0.052m^3$			N.W./G.W.		20.1/ 21.2 kg 18.4/19.4 kg
20GP	250 pcs	40HQ	603 pcs	MOQ		100 pcs

Design And Color









Workmanship And Package

Woodwork

Accessories processino

Constuction

Assembly of sub-pieces of semi-finished products.

Hand sanded 3 times Sanding Polishing.

Painting

Automatic spray painting& Artificial spray painting





Drop Test

Drop test at International Standard.

Package

Forming polyfoam , postage package. KD package.

Assembly of finished product

MANUAL ASSEMBLY OF SUB-PARTS AND HARDWARE ACCESSORIES.

















Material



Certificates











Our team



Our Business services:

- 1. Your inquiry related to our products or prices will be replied in 12hours in working date.
- 2. Experience sales answer your inquiry and give you related business service.
- 3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
- 4. We are looking for the sales exclusive of our ODM wooden mirrored jewelry cabinet.
- 5. Sales exclusive agent sales right have been protect.

Package information:

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safe package during transportation.
- 3. Assembled kit and User Manual are available for each cabinet.

Production lead time

- 1. 25~50 days after received deposit.
- 2. Normal on production line production lead time is 15days after received deposit.









