

# SOLUTIONS FOR YOUR GOODLIFE!

## ***Teak wood door design mat for bathing safety IWS53323***

### ***Features:***

1. Provide safety assurance while taking a shower.
2. Provide adequate balance by using many stripe.
3. Catch the ground with six supporting point.
4. Supply waterproof for long time.
5. The Anticorrosive Warrior.

### Product Features

<b>Product's name</b>	<b>Teak wood door design mat for bathing safety IWS53323</b>		<b>brand</b>	GoodLife
<b>Item number.</b>	IWS53323			
<b>colors</b>	Raw wood color			
<b>Function</b>	Bathing furniture.non-slip			
<b>Material</b>				
<b>Material function</b>	Waterproof, Anticorrosive			
<b>Product Size</b>				
<b>Package size</b>	53*35*3.7cm□20.87*13.78*1.46INCH□			
<b>Package</b>	Mail Order package for reship			
<b>Carton CBM</b>	0.014m <sup>3</sup> / set			
<b>20GP</b>	1500sets	<b>N.W. /G.W.</b>		
<b>40HQ</b>	3540sets	<b>MOQ</b>	200 PCS	

### Design And Color



IWS53323



Workmanship And Package

## Woodwork

Accessories processing



## Constuction

Assembly of sub-pieces  
of semi-finished products.



## Hand sanded

3 times

Sanding Polishing.



## Painting

Automatic spray painting &  
Artificial spray painting.



## Drop Test

Drop test at International  
Standard.



## Package

Forming polyfoam ,  
postage package.KD package.



## Assembly of finished product

MANUAL ASSEMBLY OF SUB-PARTS AND  
HARDWARE ACCESSORIES.



Wood Cutting



Drill Holes



Open Slot



sealing with PVC



## Material



VS



Particle board

## Certificates



## Our team



### **Our Business services:**

1. Your inquiry related to our products or prices will be replied in 12 hours in working date.
2. Experience sales answer your question and give you related business service.
3. OEM & amp; ODM are welcome, we have over 10 years experience working with OEM project.
4. We are looking for exclusive sales of ODM [Cabinet wooden mirror jewelry.](#)
5. Sales The exclusive right agent sales have been protection.

### **Package information:**

1. Forming polyfoam for the post package
2. 6-side strong polyfoam are used for safety package during transportation.
3. assembled kit and user manual are available for each office.

### **production lead time**

1. 25 ~ 50 days after deposit received.
2. Normal in the production lead time production line is 15 days after deposit received.

**Hot Selling**



GLD17047



GLD13315



GLD14740



GLD15315



GLD15347



GLD08012



GLD08055



GLD08057



GLD08067









GLS11325WH



GLS18703BR



GLS18812TK



GLS18715WH