SOLUTIONS FOR YOUR GOODLIFE!

Teak wood bath mat low price wholesale indoor non slip and waterproof bathroom bath shower simple design

Features:

- 1. Provide safety assurance while taking a shower.
- 2. Provide adequate balance by using many stripe.
- 3. Catch the ground with six supporting point.
- 4. Supply waterproof for long time.
- 5. The Anticorrosive Warrior.

Product Features

Teak wood bath mat low price wholesale indoor non slip and waterproof bathroom bath shower simple design

simple design				
Product's name			brand	GoodLife
Item number.	IWS53354			
colors	Raw wood color			
Function	Bathing furniture.non-slip			
Material				
Material function	Waterproof, Anticorrosive			
Product Size				
Package size	L60*W40*D3.2CM[]23.62*15.75*1.42INCH[]			
Package	Mail Order package for reship			
Carton CBM	0.092m³ / set			
20GP	1216PCS	N.W. /G.W.	3.10/6.83K	GS
40HQ	25250PCS	MOQ/FOB PRICE	1000 PC	S/26USD










Workmanship And Package

Woodwork Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Assembly of Finished product MANUAL ASSEMBLY OF SUB-PARTS AND HARDWARE ACCESSORIES.



Material



Certificates











Our team



Our Business services:

- 1. Your inquiry related to our products or prices will be replied in 12 hours in working date.
- 2. Experience sales answer your question and give you related business service.
- 3. OEM & amp; amp; ODM are welcome, we have over 10 years experience working with OEM project.
- 4. We are looking for exclusive sales of ODM Cabinet wooden mirror jewelry.
- 5. Sales The exclusive right agent sales have been protection.

Package information:

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safety package during transportation.
- 3. assembled kit and user manual are available for each office.

production lead time

- 1. $25 \sim 50$ days after deposit received.
- 2. Normal in the production lead time production line is 15 days after deposit received.









