

## **Features:**<?xml:namespace prefix = o />

- 1. wooden mirror shoe cabinet, available color: white, black, brown, wooden.....
- 2.Two door with full length mirror shoe cabinet, one side is wooden shelf board, another side is shoes support bracket, max can storage 13 pairs of lady shoes
- 3. Simple, elegant design and good looking
- 4.Inside and outside are high quality melamine MDF wood
- 5.KD package save freight and avoid damage
- 6.Easy assemble with clear instruction for installation.









GLS17122WH





GLS17122WH





ProductUSA drop shipping ikea shoe rackNameWholesale for high heels shoesBrandGoodlife

Item No. GLS17122

**Product size** H180\*L64\*W15 cm (inch: H73.4\*W26.8\*D6.12)

**Color** White, black, brown

**Function** shoe storage

Material EU-standard 12mm and 15mm MDF ;Eco-friendly melamine

12mm&15mm MDF wood melamine

1 side with hanger, another side with wooden shelves

**Details** Hardware bag

Falling prevention screw

Instruction manual

A:177\*36\*10.5CM (inch: 72.2\*14.6\*4.28) Package size B:183.5\*17\*13.5CM (inch: 74.8\*6.93\*5.5) Assembled package ,polybag ,foam poly foam; Strong master carton; 1 piece packed in **Package** 2 cartons; drop test passed Carton CBM 0.1m<sup>3</sup> N.W./G.W. 42.5kgs/47kg 20GP 255pcs **40HQ** 575pcs 1 piece MOQ × × × × × ×

## **Our Business services:**

1. Your inquiry related to our products or prices will be replied in 12 hours in working date.

×

×

×

- 2. Experience sales answer your inquiry and give you related business service.
- 3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
- 4. We are looking for the sales exclusive of our ODM wooden mirror jewelry cabinet.
- 5. Sales exclusive agent sales right have been protect.

## **Package information:**

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safe package during transportation.
- 3. Assembled kit and User Manual are available for each cabinet.

## **Production lead time**

- 1. 25~50 days after received deposit.
- 2. Normal on production line production lead time is 15 days after received deposit.

