SOLUTIONS FOR YOUR GOODLIFE!

Wall mount mirror Ironing board folding inside cabinet with waterproof cotton ironing fabric with airhole and linner

- Full length dressing mirror on the door.
- Foldable ironing board and stand inside the cabinet.
- Two hooks on the back of door for hanging clothes.
- Wall mounted, fixed on the wall with screws, space saving.
- Safe packing, strong poly foam and strong carton.

Product Features

Wall mount mirror Ironing board folding inside cabinet with waterproof cotton ironing fabric with airhole and linner

Product Name		Bran	d	Goodlife
Item No.	GLI08040A			
Colors	White, black, brown and more			
Material	MDF with paint			
Compartment	Ironing board with stand	Mirrored door outside		
Whole size	H95*L36*D9.5cm	H37.4''*L14''*W3.7'' inch		
Packing size	106*41*15cm	41.7" *16.1" *6" inch		
Package	Assemble package ,polybag ,foam poly protecting; Strong master carton;1 piece per 1 carton; drop test passed.			
Carton CBM	0.065m^3	N.W./G.W:		7.0kgs/8.0kgs
20GP	480pcs	40HQ/FOB Pri	ce	1046pcs/30USD

Design And Color










Workmanship And Package

Woodwork Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Assembly of Finished product MANUAL ASSEMBLY OF SUB-PARTS AND HARDWARE ACCESSORIES.



Material



Certificates











Our team



















Our Business services:

- 1. Your inquiry related to our products or prices will be replied in 12hours in working date.
- 2. Experience sales answer your inquiry and give you related business service.
- 3. OEM&ODM are welcome, we have over 10 years' experience working with

OEM project.

- 4. We are looking for the sales exclusive of our ODM wooden mirrored jewelry cabinet.
- 5. Sales exclusive agent sales right have been protect.

Package information:

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safe package during transportation.
- 3. Assembled kit and User Manual are available for each cabinet.

Production lead time

- 1. 25~50 days after received deposit.
- 2. Normal on production line production lead time is 15days after received deposit.









