

SOLUTIONS FOR YOUR GOODLIFE!

- Multiple functions for convenient daily life.
- Easily movable with wheels.
- Easily open and fold with foldaway bracket.
- KD packing for saving transportation space and freight.
- Easy assembling with printed instruction manual.

Design And Color



GLT13009BK



GLT13009BK



GLT13009BK



GLT13009BK



Product Features

Production Name	Living room multi-function table	Brand	Goodlife
Item No.	GLT13009		
Product size	folded : W90*D90*H45cm (Inch : W35.4*D35.4* H17.7) unfolded : W180*D90*H75cm (Inch: W70.9*D35.4*H29.53)		
Colors	White, black, brown, customized color is available		
Function	Floor standing, used for end table, dining table, coffee table, study table		
Material	EU-standard MDF ;Eco-friendly painting		
Structure details	3 folded panels		
Package size	carton 1: 100*100*17cm (Inch: 39.37*39.37 *6.69) carton 2: 71*37*20cm (Inch:27.95*14.57*7.87)		
Package	Knock down package, poly bag ,foam poly foam; Strong master carton; 1pc per 2 cartons; drop test passed.		

Carton CBM
20GP

0.223m³
125cs

40HQ

N.W./G.W. 52kgs/55kgs
MOQ 305pcs 100 pieces

Workmanship And Package

Woodwork

Accessories processing



Constuction

Assembly of sub-pieces
of semi-finished products.



Hand sanded

3 times

Sanding Polishing.



Painting

Automatic spray painting &
Artificial spray painting.



Drop Test

Drop test at International
Standard.



Package

Forming polyfoam ,
postage package.KD package.



Assembly of finished product

MANUAL ASSEMBLY OF SUB-PARTS AND
HARDWARE ACCESSORIES.





Wood Cutting



Drill Holes



Open Slot



sealing with PVC

Material



VS



Particle board

Certificates



Our team





Our Business services:

1. Your inquiry related to our products or prices will be replied in 12hours in working date.
2. Experience sales answer your inquiry and give you related business service.
3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
4. We are looking for the sales exclusive of our ODM wooden mirrored jewelry cabinet.
5. Sales exclusive agent sales right have been protect.

Package information:

1. Forming polyfoam for the post package
2. 6-side strong polyfoam are used for safe package during transportation.
3. Assembled kit and User Manual are available for each cabinet.

Production lead time

1. 25~50 days after received deposit.
2. Normal on production line production lead time is 15days after received deposit.

Hot Selling



GLD17047



GLD13315



GLD14740



GLD15315



GLD15347



GLD08012



GLD08055



GLD08057



GLD08067





GLS11325WH



GLS18703BR



GLS18812TK



GLS18715WH