SOLUTIONS FOR YOUR GOODLIFE!

Wholesale high quality Non-slip and durable solid Teak wood bath mat IWS53380

Features:

1.Provide safety assurance while taking a shower.

2.Provide adequate balance by using many stripe.

3.Catch the ground with six supporting point.

4.Supply waterproof for long time.

5.The Anticorrosive Warrior.

Product Features

0.045m³/set
15.3kgs/17kgs (10sets)

Product's name	**Wholesale high quality Non-slip and durable solid Teak wood bath mat IWS53380**	**brand**	GoodLife
Item number.	IWS53380		
colors	Grey, Bamboo color, brown, black.....		
Function	Bathing furniture.non-slip		
Material: Teak wood			
Material function	Waterproof, Anticorrosive		
Product Size:L40*W40*H3.2cm (L15.74*W12.59*H0.27inch)			
Package size	51*13*6cm (INCH: 20*5.1*2.36)---1 carton/set 52*27*33cm(INCH:20.4*10.6*13)---10 sets/carton		
Package: polyfoam and strong master carton.			
Carton CBM: 0.042m³/set			
20GP	4038sets	**N.W. /G.W.**	
40HQ	9804sets	**MOQ**	1000PCS

Design And Color

Goodlife
Houseware Ltd
IWS53380

Goodlife
Houseware Ltd
IWS53380

Workmanship And Package

Woodwork
Accessories processing
Constuction
Assembly of sub-pieces of semi-finished products.
Hand sanded 3 times
Sanding Polishing.
Painting
Automatic spray painting& Artificial spray painting.
Drop Test
Drop test at International Standard.
Package
Forming polyfoam , postage package.KD package.
Assembly of finished product
MANUAL ASSEMBLY OF SUB-PARTS AND HARDWARE ACCESSORIES.


Wood Cutting
Drill Holes
Open Slot
sealing with PVC

Material

Certificates

Our team

Our Business services:

1. Your inquiry related to our products or prices will be replied in 12 hours in working date.
2. Experience sales answer your question and give you related business service.
3. OEM & amp; amp; ODM are welcome, we have over 10 years experience working with OEM project.
4. We are looking for exclusive sales of ODM Cabinet wooden mirror jewelry.
5. Sales The exclusive right agent sales have been protection.

Package information:

1. Forming polyfoam for the post package
2. 6-side strong polyfoam are used for safety package during transportation.
3. assembled kit and user manual are available for each office.

production lead time

1. 25 ~ 50 days after deposit received.
2. Normal in the production lead time production line is 15 days after deposit received.

Hot Selling

GLD17047

GLD13315

GLD14740

GLD15315

GLD15347

GLD08012

GLD08055

GLD08057

GLD08067

GLD14737WH
GLD12210BR
GLD12212BK
GLD13319BR
GLD15330WH

GLD13323WH
GLD13334WH
GLD13328WH
GLD08056WH
GLD13310WH

100% HOT SALE
GLS11325WH
100% HOT SALE
GLS18703BR
100% HOT SALE
GLS18812TK
100% HOT SALE
GLS18715WH