Children wall led mirror with bluetooth speaker

Product Features

1) Lens: 4mm environmental protection mirror, mirror surface explosion-proof treatment.

2) Frame: no border

3) Configuration: weather data, perpetual calendar, LED anti-fog light, energy-saving LED light, Bluetooth audio

4) Input voltage: 110-220V5) Mirror size: 60*60*5

6) Packing: K=A5 layer neutral carton + foam + corner

7) MOO 60PCS

Production Name Children wall led Brand Goodlife mirror with bluetooth speaker

Item No.GLD10013Product Size:77*77*10ColorsWhite

Function For dressing,

Material 1) Lens: 4mm environmental protection mirror, mirror surface explosion-proof treatment.

2) Frame: no border

3) LED anti-fog light, energy-saving LED light, Bluetooth audio

Organizer details

1) Configuration: weather data, perpetual calendar, LED anti-fog light, energy-saving LED

light, Bluetooth audio 2) Input voltage: 110-220V 3) Mirror size: 60*60*5 4) MDF backplane

Package size 84*84*10

Package 1SET/3-Layer Brown Box

3SET/CTNPoly ,K=A5 layer neutral carton + foam + corner protector

Carton CBM $0.071 m^3$ NW. /GW. 0 kgs / 0 kgs

20GP 394PCS 40HQ 957PCS MOQ 60 sets

Design And Color








Workmanship And Package

Woodwork Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Assembly of Finished product MANUAL ASSEMBLY OF SUB-PARTS AND HARDWARE ACCESSORIES.



Material



Certificates











Our team



















Our Business services:

- 1. Your inquiry related to our products or prices will be replied in 12hours in working date.
- 2. Experience sales answer your inquiry and give you related business service.
- 3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
- 4. We are looking for the sales exclusive of our ODM wooden mirrored jewelry cabinet.
- 5. Sales exclusive agent sales right have been protect.

Package information:

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safe package during transportation.
- 3. Assembled kit and User Manual are available for each cabinet.

Production lead time

- 1. 25~50 days after received deposit.
- 2. Normal on production line production lead time is 15days after received deposit.