## Product Features


<b>Production Name</b>	floor standing modern wooden jewelry cabinet		Brand	Goodli		е
Item No.	GLD18852					
Product size	H99*W39*D31 cm(Inch: H39.0*W15.4*D12.2)					
Colors	White, black, brown, cherry, customized color is available					
Function	Floor standing, for jewelry and accessory storage					
Material	EU-standard MDF ;flocking lining					
Organizer details	Top section under lip divided into 4 compartments for organizing; 7 lines for 56 finger rings, 3 squire shelves; 16 hooks for hanging necklace and bracelet; 5 front drawers for jewelry accessories storage.					
Package size	H38*L82*W49 cm (Inch:15.0*32.3*19.3)					
Package	KD package; 1 piece per 1 PE bag; 1 piece per 1 carton; Poly foam protecting; strong master carton.					
Carton CBM	$0.153 \text{m}^3$			N.W./0	<b>G.W.</b>	16.2 / 17.5 kg
20GP	185 pcs	40HQ	450 pcs	MOQ		300 pcs

# Design And Color










Workmanship And Package

# Woodwork Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Accessories processing Assembly of sub-pieces of semi-finished products. Bright Assembly of Finished product MANUAL ASSEMBLY OF SUB-PARTS AND HARDWARE ACCESSORIES.



### Material



# Certificates











Our team



### **Our Business services:**

- 1. Your inquiry related to our products or prices will be replied in 12hours in working date.
- 2. Experience sales answer your inquiry and give you related business service.
- 3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
- 4. We are looking for the sales exclusive of our ODM <u>wooden mirror jewelry</u> cabinet.
- 5. Sales exclusive agent sales right have been protect.

### **Package information:**

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safe package during transportation.
- 3. Assembled kit and User Manual are available for each cabinet.

### **Production lead time**

- 1. 25~50 days after received deposit.
- 2. Normal on production line production lead time is 15days after received deposit.









