Smart led mirror with bluetooth speaker for bathroom and bedroom


		Product Fe	eatures		
1) Lens: 4mm er	nvironmental protec	tion mirror, mirro	or surface explos	sion-proc	of treatment.
2) Frame: black					
	h: weather data, per	petual calendar, I	.ED anti-fog ligh	it, energ	y-saving LED light,
Bluetooth audio 4) Input voltage	. 110 22017				
5) Mirror size: 6					
<i>,</i>	15 layer neutral cart	on + foam + corr	er		
7) MOQ 60PCS					
Production Name	Smart wall led mirror with bluetooth	for bathroom and b	Brand edroom	Go	odlife
Item No.	GLD10011				
Product Size:	60*60*5				
Colors	White				
Function	For dressing,				
Material	 Lens: 4mm environmental protection mirror, mirror surface explosion-proof treatment. Frame: b;ack border LED anti-fog light, energy-saving LED light, Bluetooth audio 				
Organizer details 1) Lens: 4mm environmental protection mirror, mirror surface explosion-proof treatment. 2) Frame: black border 3) Configuration: weather data, perpetual calendar, LED anti-fog light, energy-saving LED light, Bluetooth audio 4) Input voltage: 110-220V 5) Mirror size: 60*60*5 6) Packing: K=A5 layer neutral carton + foam + corner 7) MOQ 60PCS					
Package size	71.500*71.5*33				
Package	1SET/3-Layer Brown Box 3SET/CTNPoly ,K=A5 layer neutral carton + foam + corner protector				
Carton CBM	0.169m ³		NW. /GW.		0kgs / 0kgs
20GP	144BOX/432PCS	40HQ	326BOX/978 PCS	MOQ	60 sets
		Design An	d Color		







Workmanship And Package



Material



Certificates



Our team



Our Business services:

- 1. Your inquiry related to our products or prices will be replied in 12hours in working date.
- 2. Experience sales answer your inquiry and give you related business service.
- 3. OEM&ODM are welcome, we have over 10 years' experience working with OEM project.
- 4. We are looking for the sales exclusive of our ODM wooden mirrored jewelry cabinet.
- 5. Sales exclusive agent sales right have been protect.

Package information:

- 1. Forming polyfoam for the post package
- 2. 6-side strong polyfoam are used for safe package during transportation.
- 3. Assembled kit and User Manual are available for each cabinet.

Production lead time

- 1. 25~50 days after received deposit.
- 2. Normal on production line production lead time is 15days after received deposit.